

Personal Astrocartography Report

Compare places, understand the trade-offs, and see the calculated evidence behind each finding

Orlando, Florida leads the current place portfolio

Orlando, Florida • San Antonio, Texas • Winnipeg, Manitoba

Table of contents

10-second verdict	3
Evidence map	4
Overall location pattern	5
Deep city analysis: Akureyri, Iceland	6
Deep city analysis: San Antonio, Texas	7
Deep city analysis: Orlando, Florida	8
Deep city analysis: Winnipeg, Manitoba	9
Deep city analysis: Krakow, Poland	10
Five-theme comparison matrix	11
Major angle-aspect lines	11
Planetary Parans	12
Relocated charts	13
Cautions and conflicts	14
Birth-time sensitivity	15
Methodology	15
Technical appendix	16

10-second verdict

Orlando, Florida leads the current place portfolio

The comparison covers Akureyri, Iceland, San Antonio, Texas, Orlando, Florida, Winnipeg, Manitoba, Krakow, Poland. Theme leaders: career and money: Akureyri, Iceland; love and partnership: San Antonio, Texas; home, family, and community: Winnipeg, Manitoba; wellbeing and growth: Winnipeg, Manitoba; travel and exploration: San Antonio, Texas. Each result remains tied to map evidence and a real-stay test.

Confidence

high confidence reflects independent evidence breadth, birth-time stability, and house-system agreement.


Place portfolio

The comparison covers Akureyri, Iceland, San Antonio, Texas, Orlando, Florida, Winnipeg, Manitoba, Krakow, Poland. Theme leaders: career and money: Akureyri, Iceland; love and partnership: San Antonio, Texas; home, family, and community: Winnipeg, Manitoba; wellbeing and growth: Winnipeg, Manitoba; travel and exploration: San Antonio, Texas. Each result remains tied to map evidence and a real-stay test.

Orlando, Florida leads overall, while love and partnership is the main tradeoff to test during a real stay.

- Career & money — career and money: mixed
- Love & partnership — love and partnership: mixed
- Home & community — home, family, and community: mixed
- Wellbeing & growth — wellbeing and growth: mixed
- Travel & exploration — travel and exploration: mixed

Evidence map



The comparison covers Akureyri, Iceland, San Antonio, Texas, Orlando, Florida, Winnipeg, Manitoba, Krakow, Poland. Theme leaders: career and money: Akureyri, Iceland; love and partnership: San Antonio, Texas; home, family, and community: Winnipeg, Manitoba; wellbeing and growth: Winnipeg, Manitoba; travel and exploration: San Antonio, Texas. Each result remains tied to map evidence and a real-stay test.

Overall location pattern

Across 5 delivered places, repeated evidence families reveal a portfolio of tradeoffs rather than one universal answer.


Across 5 delivered places, repeated evidence families reveal a portfolio of tradeoffs rather than one universal answer.

- angular evidence recurs across 5 delivered places.
- paran evidence recurs across 5 delivered places.
- relocated_house evidence recurs across 5 delivered places.
- career and money evidence recurs across 5 delivered places.
- love and partnership evidence recurs across 5 delivered places.
- home, family, and community evidence recurs across 5 delivered places.
- wellbeing and growth evidence recurs across 5 delivered places.
- travel and exploration evidence recurs across 5 delivered places.

Place portfolio

The comparison covers Akureyri, Iceland, San Antonio, Texas, Orlando, Florida, Winnipeg, Manitoba, Krakow, Poland. Theme leaders: career and money: Akureyri, Iceland; love and partnership: San Antonio, Texas; home, family, and community: Winnipeg, Manitoba; wellbeing and growth: Winnipeg, Manitoba; travel and exploration: San Antonio, Texas. Each result remains tied to map evidence and a real-stay test.

Deep city analysis: Akureyri, Iceland



Akureyri, Iceland: strongest lens is career and money

Akureyri, Iceland is assessed from 36 traceable astrological facts across angular lines, Parans, relocated houses, natal context, and time sensitivity.


The most decision-relevant signal for Akureyri, Iceland is: Moon–DSC line is 0.5 km away. Read it together with the five-theme matrix rather than as a standalone promise.

Akureyri, Iceland's main tradeoff is reflected in wellbeing and growth; test the lived effect before a long-term move.

Decision checklist

- Spend at least one ordinary workweek in Akureyri, Iceland, not only a holiday weekend.
- Track one concrete outcome connected to career and money before and during the stay.
- Compare energy, relationships, routines, and practical constraints after the initial novelty fades.
- Which effect is noticeable during a 7–14 day stay in Akureyri, Iceland?
- Which effect appears only because the trip is new or unusually easy?
- Can ordinary housing, work, healthcare, and visa constraints in Akureyri, Iceland support daily life?
- Does the observed benefit remain after several weeks of routine?

Deep city analysis: San Antonio, Texas



San Antonio, Texas: strongest lens is wellbeing and growth

San Antonio, Texas is assessed from 29 traceable astrological facts across angular lines, Parans, relocated houses, natal context, and time sensitivity.


The most decision-relevant signal for San Antonio, Texas is: Jupiter 120° to MC is 170.8 km away; exact residual 1.91°. Read it together with the five-theme matrix rather than as a standalone promise.

San Antonio, Texas's main tradeoff is reflected in career and money; test the lived effect before a long-term move.

Decision checklist

- Spend at least one ordinary workweek in San Antonio, Texas, not only a holiday weekend.
- Track one concrete outcome connected to wellbeing and growth before and during the stay.
- Compare energy, relationships, routines, and practical constraints after the initial novelty fades.
- Which effect is noticeable during a 7–14 day stay in San Antonio, Texas?
- Which effect appears only because the trip is new or unusually easy?
- Can ordinary housing, work, healthcare, and visa constraints in San Antonio, Texas support daily life?
- Does the observed benefit remain after several weeks of routine?

Deep city analysis: Orlando, Florida



Orlando, Florida: strongest lens is home, family, and community

Orlando, Florida is assessed from 26 traceable astrological facts across angular lines, Parans, relocated houses, natal context, and time sensitivity.


The most decision-relevant signal for Orlando, Florida is: Jupiter-ASC line is 155.5 km away. Read it together with the five-theme matrix rather than as a standalone promise.

Orlando, Florida's main tradeoff is reflected in love and partnership; test the lived effect before a long-term move.

Decision checklist

- Spend at least one ordinary workweek in Orlando, Florida, not only a holiday weekend.
- Track one concrete outcome connected to home, family, and community before and during the stay.
- Compare energy, relationships, routines, and practical constraints after the initial novelty fades.
- Which effect is noticeable during a 7–14 day stay in Orlando, Florida?
- Which effect appears only because the trip is new or unusually easy?
- Can ordinary housing, work, healthcare, and visa constraints in Orlando, Florida support daily life?
- Does the observed benefit remain after several weeks of routine?

Deep city analysis: Winnipeg, Manitoba



Winnipeg, Manitoba: strongest lens is home, family, and community

Winnipeg, Manitoba is assessed from 33 traceable astrological facts across angular lines, Parans, relocated houses, natal context, and time sensitivity.


The most decision-relevant signal for Winnipeg, Manitoba is: Jupiter-ASC line is 151 km away. Read it together with the five-theme matrix rather than as a standalone promise.

Winnipeg, Manitoba's main tradeoff is reflected in love and partnership; test the lived effect before a long-term move.

Decision checklist

- Spend at least one ordinary workweek in Winnipeg, Manitoba, not only a holiday weekend.
- Track one concrete outcome connected to home, family, and community before and during the stay.
- Compare energy, relationships, routines, and practical constraints after the initial novelty fades.
- Which effect is noticeable during a 7–14 day stay in Winnipeg, Manitoba?
- Which effect appears only because the trip is new or unusually easy?
- Can ordinary housing, work, healthcare, and visa constraints in Winnipeg, Manitoba support daily life?
- Does the observed benefit remain after several weeks of routine?

Deep city analysis: Krakow, Poland



Krakow, Poland: strongest lens is love and partnership

Krakow, Poland is assessed from 37 traceable astrological facts across angular lines, Parans, relocated houses, natal context, and time sensitivity.

The most decision-relevant signal for Krakow, Poland is: Jupiter–MC line is 3.9 km away. Read it together with the five-theme matrix rather than as a standalone promise.

Krakow, Poland's main tradeoff is reflected in career and money; test the lived effect before a long-term move.

Decision checklist

- Spend at least one ordinary workweek in Krakow, Poland, not only a holiday weekend.
- Track one concrete outcome connected to love and partnership before and during the stay.
- Compare energy, relationships, routines, and practical constraints after the initial novelty fades.
- Which effect is noticeable during a 7–14 day stay in Krakow, Poland?
- Which effect appears only because the trip is new or unusually easy?
- Can ordinary housing, work, healthcare, and visa constraints in Krakow, Poland support daily life?
- Does the observed benefit remain after several weeks of routine?

Five-theme comparison matrix

	Career & money	Love & partnership	Home & community	Wellbeing & growth	Travel & exploration
Akureyri, Iceland	mixed	mixed	mixed	mixed	mixed
San Antonio, Texas	mixed	mixed	mixed	mixed	mixed
Orlando, Florida	mixed	mixed	mixed	mixed	mixed
Winnipeg, Manitoba	mixed	mixed	mixed	mixed	mixed
Krakow, Poland	mixed	mixed	mixed	mixed	mixed

Major angle-aspect lines

60/90/120 angle-aspect evidence and how it changes the comparison

37 calculated signals connect this chapter to 5 compared places.

Akureyri, Iceland

Sun 90° to ASC is 462.3 km away; exact residual 5.7°; Moon 90° to MC is 231.9 km away; exact residual 4.73°; Venus 120° to ASC is 28.1 km away; exact residual 0.35°

San Antonio, Texas

Sun 90° to MC is 565.6 km away; exact residual 6.34°; Venus 60° to MC is 88.7 km away; exact residual 0.99°; Jupiter 120° to MC is 170.8 km away; exact residual 1.91°

Orlando, Florida

Moon 120° to ASC is 187.3 km away; exact residual 1.84°; Mercury 60° to MC is 63.7 km away; exact residual 0.71°; Venus 60° to ASC is 147.8 km away; exact residual 1.45°

Winnipeg, Manitoba

Sun 90° to MC is 321.9 km away; exact residual 4.88°; Moon 120° to ASC is 164.8 km away; exact residual 2.22°; Venus 60° to ASC is 79.2 km away; exact residual 1.07°

Krakow, Poland

Moon 120° to MC is 28 km away; exact residual 0.37°; Venus 60° to MC is 224 km away; exact residual 2.93°; Mars 90° to MC is 370.4 km away; exact residual 4.81°

ASTROCARTOGRAPHY CHART

Planetary Parans

planetary Paran evidence and how it changes the comparison

18 calculated signals connect this chapter to 5 compared places.

Akureyri, Iceland

Venus-ASC / Uranus-MC Paran has 0.011° residual; Jupiter-DSC / Saturn-ASC Paran has 0.079° residual; Sun-IC / Uranus-ASC Paran has 0.365° residual

San Antonio, Texas

Moon-IC / Mercury-DSC Paran has 0.284° residual; Mars-ASC / Uranus-MC Paran has 0.588° residual

Orlando, Florida

Moon-IC / Mercury-DSC Paran has 0.137° residual; Mars-ASC / Uranus-MC Paran has 0.64° residual

Winnipeg, Manitoba

Venus-IC / Jupiter-DSC Paran has 0.112° residual; Jupiter-DSC / Pluto-MC Paran has 0.501° residual; Mars-DSC / Neptune-IC Paran has 0.842° residual

Krakow, Poland

Jupiter-DSC / Pluto-MC Paran has 0.294° residual; Venus-IC / Jupiter-DSC Paran has 0.318° residual; Moon-MC / Neptune-DSC Paran has 0.732° residual

Relocated charts

relocated Placidus and Whole Sign evidence and how it changes the comparison

36 calculated signals connect this chapter to 5 compared places.

Akureyri, Iceland

Sun relocates to Placidus house 10 and Whole Sign house 10 (same); Moon relocates to Placidus house 6 and Whole Sign house 7 (same direction); Mercury relocates to Placidus house 9 and Whole Sign house 10 (same direction)

San Antonio, Texas

Sun relocates to Placidus house 12 and Whole Sign house 12 (same); Mercury relocates to Placidus house 12 and Whole Sign house 12 (same); Venus relocates to Placidus house 11 and Whole Sign house 11 (same)

Orlando, Florida

Sun relocates to Placidus house 12 and Whole Sign house 12 (same); Venus relocates to Placidus house 11 and Whole Sign house 11 (same); Mars relocates to Placidus house 10 and Whole Sign house 10 (same)

Winnipeg, Manitoba

Sun relocates to Placidus house 12 and Whole Sign house 12 (same); Venus relocates to Placidus house 11 and Whole Sign house 11 (same); Mars relocates to Placidus house 10 and Whole Sign house 10 (same)

Krakow, Poland

Sun relocates to Placidus house 9 and Whole Sign house 9 (same); Moon relocates to Placidus house 5 and Whole Sign house 6 (same direction); Mercury relocates to Placidus house 8 and Whole Sign house 9 (same direction)

House-system sensitivity

House-system agreement is same direction; 11 signals across 2 places are affected.

Cautions and conflicts

caution and conflict evidence and how it changes the comparison

53 calculated signals connect this chapter to 5 compared places.

Akureyri, Iceland

Mars 60° to MC is 13.6 km away; exact residual 0.28°; Pluto 60° to ASC is 247.1 km away; exact residual 3.04°; Neptune 120° to ASC is 383.8 km away; exact residual 4.73°

San Antonio, Texas

Pluto 120° to MC is 214.8 km away; exact residual 2.4°; Neptune 60° to MC is 366.1 km away; exact residual 4.08°; Moon–MC line is 323.9 km away

Orlando, Florida

Uranus 90° to MC is 156.9 km away; exact residual 1.75°; Pluto 120° to ASC is 197.1 km away; exact residual 1.94°; Neptune–DSC line is 329.2 km away

Winnipeg, Manitoba

Neptune–DSC line is 223.9 km away; Pluto 120° to MC is 255.3 km away; exact residual 3.86°; Pluto 120° to ASC is 171.9 km away; exact residual 2.32°

Krakow, Poland

Neptune 90° to ASC is 135.3 km away; exact residual 1.37°; Pluto 120° to MC is 35.4 km away; exact residual 0.46°; Neptune–IC line is 171.8 km away

Birth-time sensitivity

Birth-time sensitivity is moderately sensitive.

Birth-time sensitivity is moderately sensitive: 5 signals change and 0 remain stable in the ± 5 minute test.

Decision checklist

- During a trial stay in Akureyri, Iceland, what observable change appears in career and money?
- During a trial stay in San Antonio, Texas, what observable change appears in love and partnership?
- During a trial stay in Winnipeg, Manitoba, what observable change appears in home, family, and community?
- During a trial stay in Winnipeg, Manitoba, what observable change appears in wellbeing and growth?
- During a trial stay in San Antonio, Texas, what observable change appears in travel and exploration?

Methodology

All conclusions are generated from one canonical Swiss Ephemeris calculation. Ordinary ACG, 60/90/120 angle-aspects, planetary Parans, Placidus and Whole Sign relocation, natal modifiers, and ± 5 minute sensitivity are scored with fact-group deduplication.

- Made with Natural Earth
- GeoNames data under CC BY 4.0
- Calculated with Swiss Ephemeris

Limitations

- Astrology is an interpretive decision aid, not a deterministic forecast.
- Map boundaries are generalized for report-scale display and are not a legal boundary source.
- Some conclusions change in the ± 5 minute birth-time test and should receive less weight.

Technical appendix

Report reference (for support): 22222222-2222-4222-8222-222222222222

evidence SHA-256: 46c1f71e0c901c00143ac39e1677b2efe3e16ff988476df03fb35529bbba48b

calculation=calculation-v2-sweph-3 • candidateDataset=candidate-dataset-v2 • candidateRouting=candidate-routing-v2-1 • evidence=evidence-v2-1 • houseSystemProfile=house-system-v2-1 • interpretation=interpretation-v2-1 • report=personal-astrocartography-report-v2 • reportContract=location-report-contract-v2-1 • scoring=scoring-v2-calibrated-1

Astrology symbol key

 Sun  Moon  Mercury  Venus  Mars  Jupiter  Saturn  Uranus  Neptune  Pluto

Calculated evidence

- Akureyri, Iceland • astro_line • strength 1.000 • Moon-DSC, 0.5 km
- Akureyri, Iceland • astro_line • strength 0.705 • Mercury-MC, 231.8 km
- Akureyri, Iceland • angular_aspect_line • strength 0.194 • Sun 90° ASC, residual 5.696°
- Akureyri, Iceland • angular_aspect_line • strength 0.789 • Moon 90° MC, residual 4.726°
- Akureyri, Iceland • angular_aspect_line • strength 1.000 • Venus 120° ASC, residual 0.346°
- Akureyri, Iceland • angular_aspect_line • strength 1.000 • Mars 60° MC, residual 0.278°
- Akureyri, Iceland • angular_aspect_line • strength 0.932 • Jupiter 60° ASC, residual 2.552°
- Akureyri, Iceland • angular_aspect_line • strength 0.217 • Saturn 120° ASC, residual 5.587°
- Akureyri, Iceland • angular_aspect_line • strength 0.447 • Neptune 120° ASC, residual 4.727°
- Akureyri, Iceland • angular_aspect_line • strength 0.752 • Pluto 60° ASC, residual 3.043°
- Akureyri, Iceland • paran • strength 1.000 • Venus-ASC/Uranus-MC, residual 0.011°
- Akureyri, Iceland • paran • strength 1.000 • Jupiter-DSC/Saturn-ASC, residual 0.079°
- Akureyri, Iceland • paran • strength 0.730 • Sun-IC/Uranus-ASC, residual 0.365°
- Akureyri, Iceland • paran • strength 0.282 • Mars-DSC/Jupiter-MC, residual 0.683°
- Akureyri, Iceland • paran • strength 0.036 • Sun-ASC/Mercury-ASC, residual 0.887°
- Akureyri, Iceland • relocated_house • strength 0.883 • Sun, Placidus 10, Whole Sign 10
- Akureyri, Iceland • relocated_house • strength 0.588 • Moon, Placidus 6, Whole Sign 7
- Akureyri, Iceland • relocated_house • strength 0.707 • Mercury, Placidus 9, Whole Sign 10
- Akureyri, Iceland • relocated_house • strength 0.859 • Venus, Placidus 9, Whole Sign 9
- Akureyri, Iceland • relocated_house • strength 1.000 • Mars, Placidus 8, Whole Sign 8
- Akureyri, Iceland • relocated_house • strength 0.871 • Jupiter, Placidus 10, Whole Sign 11
- Akureyri, Iceland • relocated_house • strength 0.592 • Saturn, Placidus 4, Whole Sign 5
- Akureyri, Iceland • relocated_house • strength 0.770 • Uranus, Placidus 4, Whole Sign 5
- Akureyri, Iceland • relocated_house • strength 0.883 • Neptune, Placidus 4, Whole Sign 5
- Akureyri, Iceland • relocated_house • strength 0.989 • Pluto, Placidus 3, Whole Sign 3
- Akureyri, Iceland • natal_modifier • strength 1.000 • Sun, modifier 1.00×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Moon, modifier 1.12×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Mercury, modifier 1.00×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Venus, modifier 1.12×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Mars, modifier 1.14×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Jupiter, modifier 1.23×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Saturn, modifier 1.03×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Uranus, modifier 1.09×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Neptune, modifier 1.25×
- Akureyri, Iceland • natal_modifier • strength 1.000 • Pluto, modifier 1.12×
- Akureyri, Iceland • sensitivity • strength 1.000 • ±5 min, 23 changed fact groups
- San Antonio, Texas • astro_line • strength 0.555 • Moon-MC, 323.9 km
- San Antonio, Texas • astro_line • strength 0.134 • Uranus-DSC, 503.1 km
- San Antonio, Texas • angular_aspect_line • strength 0.036 • Sun 90° MC, residual 6.342°

- San Antonio, Texas • angular_aspect_line • strength 1.000 • Venus 60° MC, residual 0.992°
- San Antonio, Texas • angular_aspect_line • strength 1.000 • Jupiter 120° MC, residual 1.906°
- San Antonio, Texas • angular_aspect_line • strength 0.046 • Saturn 60° MC, residual 6.234°
- San Antonio, Texas • angular_aspect_line • strength 0.497 • Neptune 60° MC, residual 4.081°
- San Antonio, Texas • angular_aspect_line • strength 0.829 • Pluto 120° MC, residual 2.396°
- San Antonio, Texas • paran • strength 0.852 • Moon-IC/Mercury-DSC, residual 0.284°
- San Antonio, Texas • paran • strength 0.412 • Mars-ASC/Uranus-MC, residual 0.588°
- San Antonio, Texas • relocated_house • strength 0.883 • Sun, Placidus 12, Whole Sign 12
- San Antonio, Texas • relocated_house • strength 0.883 • Mercury, Placidus 12, Whole Sign 12
- San Antonio, Texas • relocated_house • strength 0.859 • Venus, Placidus 11, Whole Sign 11
- San Antonio, Texas • relocated_house • strength 1.000 • Mars, Placidus 10, Whole Sign 10
- San Antonio, Texas • relocated_house • strength 1.000 • Jupiter, Placidus 1, Whole Sign 1
- San Antonio, Texas • relocated_house • strength 0.666 • Saturn, Placidus 7, Whole Sign 7
- San Antonio, Texas • relocated_house • strength 0.963 • Uranus, Placidus 7, Whole Sign 7
- San Antonio, Texas • relocated_house • strength 1.000 • Neptune, Placidus 7, Whole Sign 7
- San Antonio, Texas • natal_modifier • strength 1.000 • Sun, modifier 1.00×
- San Antonio, Texas • natal_modifier • strength 1.000 • Moon, modifier 1.12×
- San Antonio, Texas • natal_modifier • strength 1.000 • Mercury, modifier 1.00×
- San Antonio, Texas • natal_modifier • strength 1.000 • Venus, modifier 1.12×
- San Antonio, Texas • natal_modifier • strength 1.000 • Mars, modifier 1.14×
- San Antonio, Texas • natal_modifier • strength 1.000 • Jupiter, modifier 1.23×
- San Antonio, Texas • natal_modifier • strength 1.000 • Saturn, modifier 1.03×
- San Antonio, Texas • natal_modifier • strength 1.000 • Uranus, modifier 1.09×
- San Antonio, Texas • natal_modifier • strength 1.000 • Neptune, modifier 1.25×
- San Antonio, Texas • natal_modifier • strength 1.000 • Pluto, modifier 1.12×
- San Antonio, Texas • sensitivity • strength 1.000 • ±5 min, 20 changed fact groups
- Orlando, Florida • astro_line • strength 0.160 • Mars-MC, 492.4 km
- Orlando, Florida • astro_line • strength 1.000 • Jupiter-ASC, 155.5 km
- Orlando, Florida • astro_line • strength 0.604 • Neptune-DSC, 329.2 km
- Orlando, Florida • angular_aspect_line • strength 0.891 • Moon 120° ASC, residual 1.840°
- Orlando, Florida • angular_aspect_line • strength 0.973 • Mercury 60° MC, residual 0.710°
- Orlando, Florida • angular_aspect_line • strength 0.970 • Venus 60° ASC, residual 1.452°
- Orlando, Florida • angular_aspect_line • strength 0.000 • Mars 90° ASC, residual 6.289°
- Orlando, Florida • angular_aspect_line • strength 0.927 • Uranus 90° MC, residual 1.746°
- Orlando, Florida • angular_aspect_line • strength 0.869 • Pluto 120° ASC, residual 1.936°
- Orlando, Florida • paran • strength 1.000 • Moon-IC/Mercury-DSC, residual 0.137°
- Orlando, Florida • paran • strength 0.330 • Mars-ASC/Uranus-MC, residual 0.640°
- Orlando, Florida • relocated_house • strength 0.883 • Sun, Placidus 12, Whole Sign 12
- Orlando, Florida • relocated_house • strength 0.859 • Venus, Placidus 11, Whole Sign 11
- Orlando, Florida • relocated_house • strength 0.983 • Mars, Placidus 10, Whole Sign 10
- Orlando, Florida • relocated_house • strength 0.910 • Saturn, Placidus 7, Whole Sign 7
- Orlando, Florida • natal_modifier • strength 1.000 • Sun, modifier 1.00×
- Orlando, Florida • natal_modifier • strength 1.000 • Moon, modifier 1.12×
- Orlando, Florida • natal_modifier • strength 1.000 • Mercury, modifier 1.00×
- Orlando, Florida • natal_modifier • strength 1.000 • Venus, modifier 1.12×
- Orlando, Florida • natal_modifier • strength 1.000 • Mars, modifier 1.14×
- Orlando, Florida • natal_modifier • strength 1.000 • Jupiter, modifier 1.23×
- Orlando, Florida • natal_modifier • strength 1.000 • Saturn, modifier 1.03×
- Orlando, Florida • natal_modifier • strength 1.000 • Uranus, modifier 1.09×
- Orlando, Florida • natal_modifier • strength 1.000 • Neptune, modifier 1.25×
- Orlando, Florida • natal_modifier • strength 1.000 • Pluto, modifier 1.12×
- Orlando, Florida • sensitivity • strength 1.000 • ±5 min, 17 changed fact groups
- Winnipeg, Manitoba • astro_line • strength 0.524 • Moon-MC, 335.9 km
- Winnipeg, Manitoba • astro_line • strength 1.000 • Jupiter-ASC, 151.0 km
- Winnipeg, Manitoba • astro_line • strength 0.172 • Saturn-DSC, 476.7 km
- Winnipeg, Manitoba • astro_line • strength 0.902 • Neptune-DSC, 223.9 km
- Winnipeg, Manitoba • angular_aspect_line • strength 0.500 • Sun 90° MC, residual 4.883°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.938 • Moon 120° ASC, residual 2.224°
- Winnipeg, Manitoba • angular_aspect_line • strength 1.000 • Venus 60° ASC, residual 1.068°
- Winnipeg, Manitoba • angular_aspect_line • strength 1.000 • Venus 60° MC, residual 0.466°

- Winnipeg, Manitoba • angular_aspect_line • strength 0.157 • Mars 90° ASC, residual 6.673°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.892 • Jupiter 120° MC, residual 3.365°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.532 • Saturn 60° MC, residual 4.775°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.495 • Neptune 60° MC, residual 5.539°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.923 • Pluto 120° ASC, residual 2.320°
- Winnipeg, Manitoba • angular_aspect_line • strength 0.732 • Pluto 120° MC, residual 3.855°
- Winnipeg, Manitoba • paran • strength 1.000 • Venus-IC/Jupiter-DSC, residual 0.112°
- Winnipeg, Manitoba • paran • strength 0.587 • Jupiter-DSC/Pluto-MC, residual 0.501°
- Winnipeg, Manitoba • paran • strength 0.080 • Mars-DSC/Neptune-IC, residual 0.842°
- Winnipeg, Manitoba • paran • strength 0.018 • Moon-MC/Neptune-DSC, residual 0.928°
- Winnipeg, Manitoba • paran • strength 0.000 • Mars-ASC/Uranus-MC, residual 0.999°
- Winnipeg, Manitoba • relocated_house • strength 0.883 • Sun, Placidus 12, Whole Sign 12
- Winnipeg, Manitoba • relocated_house • strength 0.859 • Venus, Placidus 11, Whole Sign 11
- Winnipeg, Manitoba • relocated_house • strength 1.000 • Mars, Placidus 10, Whole Sign 10
- Winnipeg, Manitoba • relocated_house • strength 0.910 • Saturn, Placidus 7, Whole Sign 7
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Sun, modifier 1.00×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Moon, modifier 1.12×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Venus, modifier 1.12×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Mars, modifier 1.14×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Jupiter, modifier 1.23×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Saturn, modifier 1.03×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Uranus, modifier 1.09×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Neptune, modifier 1.25×
- Winnipeg, Manitoba • natal_modifier • strength 1.000 • Pluto, modifier 1.12×
- Winnipeg, Manitoba • sensitivity • strength 1.000 • ±5 min, 15 changed fact groups
- Krakow, Poland • astro_line • strength 0.810 • Mars-DSC, 229.6 km
- Krakow, Poland • astro_line • strength 1.000 • Jupiter-MC, 3.9 km
- Krakow, Poland • astro_line • strength 0.004 • Saturn-IC, 618.9 km
- Krakow, Poland • astro_line • strength 0.018 • Uranus-IC, 591.2 km
- Krakow, Poland • astro_line • strength 1.000 • Neptune-IC, 171.8 km
- Krakow, Poland • angular_aspect_line • strength 1.000 • Moon 120° MC, residual 0.365°
- Krakow, Poland • angular_aspect_line • strength 0.808 • Venus 60° MC, residual 2.927°
- Krakow, Poland • angular_aspect_line • strength 0.443 • Mars 90° MC, residual 4.814°
- Krakow, Poland • angular_aspect_line • strength 0.536 • Jupiter 90° ASC, residual 3.544°
- Krakow, Poland • angular_aspect_line • strength 0.320 • Uranus 90° ASC, residual 4.182°
- Krakow, Poland • angular_aspect_line • strength 1.000 • Neptune 90° ASC, residual 1.370°
- Krakow, Poland • angular_aspect_line • strength 1.000 • Pluto 120° MC, residual 0.461°
- Krakow, Poland • paran • strength 0.931 • Jupiter-DSC/Pluto-MC, residual 0.294°
- Krakow, Poland • paran • strength 0.895 • Venus-IC/Jupiter-DSC, residual 0.318°
- Krakow, Poland • paran • strength 0.210 • Moon-MC/Neptune-DSC, residual 0.732°
- Krakow, Poland • paran • strength 0.099 • Mars-DSC/Neptune-IC, residual 0.823°
- Krakow, Poland • relocated_house • strength 0.883 • Sun, Placidus 9, Whole Sign 9
- Krakow, Poland • relocated_house • strength 0.744 • Moon, Placidus 5, Whole Sign 6
- Krakow, Poland • relocated_house • strength 0.639 • Mercury, Placidus 8, Whole Sign 9
- Krakow, Poland • relocated_house • strength 0.859 • Venus, Placidus 8, Whole Sign 8
- Krakow, Poland • relocated_house • strength 0.598 • Mars, Placidus 6, Whole Sign 7
- Krakow, Poland • relocated_house • strength 0.710 • Jupiter, Placidus 10, Whole Sign 10
- Krakow, Poland • relocated_house • strength 0.910 • Saturn, Placidus 4, Whole Sign 4
- Krakow, Poland • relocated_house • strength 0.770 • Uranus, Placidus 3, Whole Sign 4
- Krakow, Poland • relocated_house • strength 0.707 • Neptune, Placidus 3, Whole Sign 4
- Krakow, Poland • relocated_house • strength 0.989 • Pluto, Placidus 2, Whole Sign 2
- Krakow, Poland • natal_modifier • strength 1.000 • Sun, modifier 1.00×
- Krakow, Poland • natal_modifier • strength 1.000 • Moon, modifier 1.12×
- Krakow, Poland • natal_modifier • strength 1.000 • Mercury, modifier 1.00×
- Krakow, Poland • natal_modifier • strength 1.000 • Venus, modifier 1.12×
- Krakow, Poland • natal_modifier • strength 1.000 • Mars, modifier 1.14×
- Krakow, Poland • natal_modifier • strength 1.000 • Jupiter, modifier 1.23×
- Krakow, Poland • natal_modifier • strength 1.000 • Saturn, modifier 1.03×
- Krakow, Poland • natal_modifier • strength 1.000 • Uranus, modifier 1.09×
- Krakow, Poland • natal_modifier • strength 1.000 • Neptune, modifier 1.25×

- Krakow, Poland • natal_modifier • strength 1.000 • Pluto, modifier 1.12×
- Krakow, Poland • sensitivity • strength 1.000 • ±5 min, 24 changed fact groups

Relocated charts

- Akureyri, Iceland • ASC 168.444° • MC 70.771° • DSC 348.444° • IC 250.771°
- Sun: Placidus 10; Whole Sign 10; longitude 84.140°
- Moon: Placidus 6; Whole Sign 7; longitude 345.497°
- Mercury: Placidus 9; Whole Sign 10; longitude 65.709°
- Venus: Placidus 9; Whole Sign 9; longitude 48.790°
- Mars: Placidus 8; Whole Sign 8; longitude 11.049°
- Jupiter: Placidus 10; Whole Sign 11; longitude 105.892°
- Saturn: Placidus 4; Whole Sign 5; longitude 294.031° R
- Uranus: Placidus 4; Whole Sign 5; longitude 278.165° R
- Neptune: Placidus 4; Whole Sign 5; longitude 283.717° R
- Pluto: Placidus 3; Whole Sign 3; longitude 225.401° R
- San Antonio, Texas • ASC 92.676° • MC 347.798° • DSC 272.676° • IC 167.798°
- Sun: Placidus 12; Whole Sign 12; longitude 84.140°
- Moon: Placidus 9; Whole Sign 9; longitude 345.497°
- Mercury: Placidus 12; Whole Sign 12; longitude 65.709°
- Venus: Placidus 11; Whole Sign 11; longitude 48.790°
- Mars: Placidus 10; Whole Sign 10; longitude 11.049°
- Jupiter: Placidus 1; Whole Sign 1; longitude 105.892°
- Saturn: Placidus 7; Whole Sign 7; longitude 294.031° R
- Uranus: Placidus 7; Whole Sign 7; longitude 278.165° R
- Neptune: Placidus 7; Whole Sign 7; longitude 283.717° R
- Pluto: Placidus 5; Whole Sign 5; longitude 225.401° R
- Orlando, Florida • ASC 107.338° • MC 6.419° • DSC 287.338° • IC 186.419°
- Sun: Placidus 12; Whole Sign 12; longitude 84.140°
- Moon: Placidus 9; Whole Sign 9; longitude 345.497°
- Mercury: Placidus 11; Whole Sign 12; longitude 65.709°
- Venus: Placidus 11; Whole Sign 11; longitude 48.790°
- Mars: Placidus 10; Whole Sign 10; longitude 11.049°
- Jupiter: Placidus 12; Whole Sign 1; longitude 105.892°
- Saturn: Placidus 7; Whole Sign 7; longitude 294.031° R
- Uranus: Placidus 6; Whole Sign 7; longitude 278.165° R
- Neptune: Placidus 6; Whole Sign 7; longitude 283.717° R
- Pluto: Placidus 5; Whole Sign 5; longitude 225.401° R
- Winnipeg, Manitoba • ASC 107.722° • MC 349.256° • DSC 287.722° • IC 169.256°
- Sun: Placidus 12; Whole Sign 12; longitude 84.140°
- Moon: Placidus 9; Whole Sign 9; longitude 345.497°
- Mercury: Placidus 11; Whole Sign 12; longitude 65.709°
- Venus: Placidus 11; Whole Sign 11; longitude 48.790°
- Mars: Placidus 10; Whole Sign 10; longitude 11.049°
- Jupiter: Placidus 12; Whole Sign 1; longitude 105.892°
- Saturn: Placidus 7; Whole Sign 7; longitude 294.031° R
- Uranus: Placidus 6; Whole Sign 7; longitude 278.165° R
- Neptune: Placidus 6; Whole Sign 7; longitude 283.717° R
- Pluto: Placidus 5; Whole Sign 5; longitude 225.401° R
- Krakow, Poland • ASC 192.347° • MC 105.863° • DSC 12.347° • IC 285.863°
- Sun: Placidus 9; Whole Sign 9; longitude 84.140°
- Moon: Placidus 5; Whole Sign 6; longitude 345.497°
- Mercury: Placidus 8; Whole Sign 9; longitude 65.709°
- Venus: Placidus 8; Whole Sign 8; longitude 48.790°
- Mars: Placidus 6; Whole Sign 7; longitude 11.049°
- Jupiter: Placidus 10; Whole Sign 10; longitude 105.892°
- Saturn: Placidus 4; Whole Sign 4; longitude 294.031° R
- Uranus: Placidus 3; Whole Sign 4; longitude 278.165° R
- Neptune: Placidus 3; Whole Sign 4; longitude 283.717° R
- Pluto: Placidus 2; Whole Sign 2; longitude 225.401° R